Ecological Research (1998) **13**, 393–397

Subject index

A

allometry; root/shoot ratio and root architecture in understory saplings of deciduous dicotyledonous trees in central Japan 217
altruism; role of male dispersal in the evolution of female behavior in viscous populations 367
ant; influence of size and distance to nests on seed dispersal curve 347
Aquarius paludum; costs and benefits for water strider females of carrying, guarding, reproductive males 263
Aster kantoensis; identification and conservation measures to protect the endangered Japanese plant species 141

B

biomass
  microbial; and carbon dynamics in black spruce forest soil 17
  plant; spatial pattern changes in aboveground plant biomass in a grazing pasture 313
  soil; macro-invertebrates and their effect on litter decomposition in beech forest 41
bird communities; impact of flowering in some central Victorian eucalypt forests, dynamics of 125
bird foraging; herbivorous insect response to strengthening tree defenses 73
branch morphology; allometry, root/shoot ratio and root architecture in understory saplings of deciduous dicotyledonous trees in central Japan 217

C

Camellia rusticana; physiological tolerance of leaves to heavy snowfall environments in 117
canopy dominants; shoot growth and tree architecture of saplings of 55
carbon cycle; contribution of micro-organisms to in black spruce forest soil 17
Castanopsis cuspidata; growth under various light conditions and shade tolerance of 65
Castanopsis sieboldii
  distribution, shoot growth and sapling architecture of 55
  growth under various light conditions and shade tolerance of 65
chaos; effect of immigration on the dynamics of an insect population 259
climate–vegetation classification; study of changes in life zone distribution in north-east China by 355
climax species; growth of *Castanopsis sieboldii* and *Castanopsis cuspidata* under various light conditions 65
colonization
  effects of arrival order and seed size of grassland plants on 229
  of artificial streams by fishes and aquatic macro-invertebrates 83
community assembly; effects of arrival order and seed size of grassland plants on 229
competition–density; in self-thinning stands of *Pinus densiflora* effect of 183
conservation; identification and measures to protect the endangered Japanese plant species *Aster kantoensis* 141
Corydalis ambigua; plasticity of flower longevity in 211
crane red-crowned; satellite tracking of the migration of 273
crown structure; patterns and mechanisms of transpiration in a large subalpine Norway spruce (*Picea abies* (L.) Karst.) in 105

D

decomposition
  litter in beech forest and effects of the train millipede outbreak on 41
  nutrient dynamics and lignocellulose degradation in *Quercus serrata* leaf litter 199
  use of carbon and nitrogen isotope ratios in termites for research in 377
density
  sapling; of canopy dominants in warm-temperate forest 55
  soil macro-invertebrates and their effect on litter decomposition in beech forest 41
detrended correspondence analysis; ski slope vegetation in Washington State and comparison with other temperate zones in 97
detritivore; use of carbon and nitrogen isotope ratios in termite research 377
Dictyophora; spore dispersal of by flies 7
dispersal
  evolution of female altruistic behavior in viscous populations, role of male 367
  seed of a Mediterranean myrmechore: Influence of ant size and distance to nests on 347
distribution
  patterns of insect herbivores in relation to strengthening tree defenses 73
  saplings of canopy dominants in warm-temperate forest 55

Distylium racemosum; distribution, shoot growth and sapling architecture of 55
Drosophilidae; spore dispersal of *Dictyophora* fungi by flies 7
drought; distribution and turnover of a *Tripteroides bambusa* metapopulation among bamboo groves, effect of 291
dynamics
large-scale, impact of flowering in some central Victorian eucalypt forests on bird community 125
population; identification and conservation measures to protect the endangered Japanese plant species *Aster kantoensis* 141

E

Elaeocarpus sylvestris vs. *ellipticus* Hara; oxygen isotope ratios between soil water and stem water of 1
endangered species; identification and conservation measures to protect the Japanese plant species *Aster kantoensis* 141
Eucalyptus; impact of flowering on bird dynamics in some central Victorian forests 125
Euphorbia characias; influence of ant size and distance to nests on seed dispersal curve 347
evaporation
oxygen isotope ratios between tree soil water and stem water 1
rate and study of changes in life zone distribution in north-east China by climate–vegetation classification 355

F

Ficedula narcissina; foraging habitat of in relation to insect herbivore response to tree defenses 73
fish; colonization of an artificial stream by 83
flower longevity; and plasticity in *Corydalis ambigua* 211
flowering; bird community dynamics in some central Victorian eucalypt forests, impact of 125
forage; characteristics of *Sasa nipponica* as a resource for sika deer on Mt Ohdaigahara, Japan 193
foraging performance; costs and benefits for water strider (*Aquarius paludum*) females of carrying, guarding, reproductive males 263
forest
beech; litter decomposition in and effects of the train millipede outbreak on 41
boreal, the contribution of micro-organisms to the carbon cycle in soil of 17
temperate coniferous, ski slope vegetation in Washington State and comparison with other temperate zones 97
Fritillaria camtschatcensis; the role of sexual and clonal reproduction in maintaining populations of 27
fungi; spore dispersal of by flies 7

G

geological substrate; soil nitrogen mineralization rates on Mount Kinabalu, Borneo, effect of elevations and 301
grassland; spatial pattern changes in aboveground plant biomass in a grazing 313
grazing; spatial pattern changes in aboveground plant biomass in a pasture 313
growth curves; effect of potential photosynthetically active radiation on shoot extension in juveniles of the main tree species in a Japanese temperate forest 171
growth; of *Castanopsis sieboldii* and *Castanopsis cuspidata* under various light conditions 65
Grus japonensis; satellite tracking of the migration of 273

H

habitat
diversity; and colonization of an artificial stream 83
foraging; of the narcissus flycatcher in relation to insect herbivore response to tree defenses 73
modification; contribution of woody debris in small streams in secondary deciduous forest in northern Japan of trout 335
utilization; of *Sasa nipponica* by sika deer on Mt Ohdaigahara, Japan, characteristics of 193
hermit crab; mate choice by males: Do males assess ripeness and/or fecundity of females? 151
hydrogen; production in a termite-symbiont system 241

I

ibis crested; current state and future of the crested ibis: A case study by population analysis 323
insect herbivores; response to strengthening tree defenses and impact on bird foraging habitat 73
invertebrates; in soil and their effect on litter decomposition in beech forest 41
Isoptera; use of carbon and nitrogen isotope ratios for research in 377

L

life
history of *Fritillaria camtschatcensis* and the role of sexual and clonal reproduction in maintaining populations of 27

zone; changes in north-east China by climate–vegetation classification, distribution of 355
light conditions; growth of *Castanopsis sieboldii* and *Castanopsis cuspidata* under various 65
lignin
litter decomposition processes in a temperate forest ecosystem: change of organic matter in oak (*Quercus liaotungensis* Koidz.) twigs, studies of 163
nutrient dynamics and lignocellulose degradation in decomposing *Quercus serrata* leaf litter 199
litter decomposition; processes in a temperate forest ecosystem: change of organic matter in oak (*Quercus liaotungensis* Koidz.) twigs, studies of 163

M

Machilus thunbergii; distribution, shoot growth and sapling architecture of 55
mate
guarding; costs and benefits for water strider (*Aquarius paludum*) females of carrying, guarding, reproductive males 263
incomplete assessment by the male hermit crab *Pagurus filholi:* Do they assess ripeness and/or fecundity of females? 151
mating
lifetime reproductive output in female dobsonflies that receive nuptial gifts in multiple 283
mate assessment by the male hermit crab *Pagurus filholi:* Do they assess ripeness and/or fecundity of females? 151
Megaloptera; multiple mating and lifetime reproductive output in female dobsonflies that receive nuptial gifts 283
methane; and hydrogen production in a termite-symbiont system 241
micro-organisms; in black spruce forest soil and their contribution to the carbon cycle 17
migration; red-crowned crane *Grus japonensis,* satellite tracking of 273
millipede train; effect of outbreak on litter decomposition in beech forest 41
mineralization; soil nitrogen rates in a matrix of elevations and geological substrates on Mount Kinabalu rainforest, Borneo 301
moisture gradient; ski slope vegetation in Washington State and comparison with vegetation in temperate coniferous forest zones 97
mosquito; distribution and turnover of a *Tripteroides bambusa* metapopulation among bamboo groves 291
mycophagy; and spore dispersal of *Dictyophora* fungi by flies 7

N

narcissus flycatcher; foraging habitat of in relation to insect herbivore response to tree defenses 73
nest; seed dispersal curve of a Mediterranean myrmechore: Influence of ant size and distance to 347
Nipponia nippon; current state and future of the crested ibis: A case study by population analysis 323
nuptial gift; multiple mating and lifetime reproductive output in female dobsonflies that receive a 283
nutrient dynamics; and lignocellulose degradation in decomposing *Quercus serrata* leaf litter 199

O

oxygen isotope ratios; between tree soil water and stem water 1

P

Pagurus filholi; mate choice by males of the hermit crab: Do males assess ripeness and/or fecundity of females? 151
Parafontaria laminata armigera; effect of outbreak on litter decomposition in beech forest 41
Phallaceae; spore dispersal of *Dictyophora* fungi by flies 7
photosynthetically active radiation; shoot extension in juveniles of the main tree species in a Japanese temperate forest effects of potential 171
Picea abies; patterns and mechanisms of transpiration in 105
Picea mariana; forest soil and the contribution of micro-organisms to the carbon cycle in 17
Pinus densiflora; growth analysis of the self-thinning stands of 183
plasticity; and flower longevity in *Corydalis ambigua* 211
pollination; effect of rate on plasticity and flower longevity of *Corydalis ambigua* 211
population
dynamics; effects of arrival order and seed size on germination of grassland plants 229
effect of immigration on a chaotic insect 259
viability; current state and future of the crested ibis (*Nipponia nippon*): A case study by population analysis 323
viscous; role of male dispersal in the evolution of female altruistic behavior in 367
protein content; characteristics of *Sasa nipponica* as a forage resource for sika deer on Mt Ohdaigahara, Japan 193

Q

Quercus; nutrient dynamics and lignocellulose degradation in decomposing *Quercus serrata* leaf litter 199
Quercus acuta; distribution, shoot growth and sapling architecture of 55
Quercus liaotungensis; litter decomposition processes in a temperate forest ecosystem: change of organic matter in oak twigs, studies of 163
Quercus saliciana; distribution, shoot growth and sapling architecture of 55

R

rainforest, tropical; soil nitrogen mineralization rates in a matrix of elevations and geological substrates on Mount Kinabalu, Borneo 301
rainforest; warm-temperate, shoot growth and tree architecture of saplings of canopy dominants in 55
redox potential; soil nitrogen rates in a matrix of elevations and geological substrates on Mount Kinabalu rainforest, Borneo effect of 301
reproduction; sexual and clonal, the role of in maintaining *Fritillaria camtschatcensis* populations 27
reproductive success; multiple mating and lifetime reproductive output in female dobsonflies that receive nuptial gifts 283
respiration
  dark; role of physiological tolerance of *Camellia rusticana* leaves to heavy snowfall environments in 117
  soil; and the contribution of micro-organisms to the carbon cycle in black spruce forest soil 17
riparian forest; contribution of woody debris to trout habitat modification in 335
root architecture; allometry and root/shoot ratio in understory saplings of deciduous dicotyledonous trees in central Japan 217

S

sap flow; mechanism and patterns in a large subalpine spruce (*Picea abies* (L.) Karst.) in 105
saplings; of canopy dominants and shoot growth and tree architecture of 55
Sasa nipponica; as a summer forage resource for sika deer on Mt Ohdaigahara, Japan, characteristics of 193
satellite tracking; migration of the red-crowned crane *Grus japonensis* use of 273
seedling establishment; effects of arrival order and seed size on germination of grassland plants 229
selection; role of male dispersal in the evolution of female altruistic behavior in viscous populations 367
self-thinning; effects of stand density in stands of *Pinus densiflora* 183
shade tolerance
  of *Castanopsis sieboldii* and *Castanopsis cuspidata* 65
  effect of potential photosynthetically active radiation on shoot extension in juveniles of the main tree species in a Japanese temperate forest 171
shoot growth; of saplings of canopy dominants in warm-temperate forest 55
snow cover; physiological tolerance of *Camellia rusticana* leaves to heavy snowfall environments: the effect of prolonged cover on evergreen leaves 117
soil
  invertebrates; their effect on litter decomposition in beech forest 41
  water; oxygen isotope ratio of 1
spatial autocorrelation; aboveground plant biomass in a grazing pasture, changes in 313
spatial heterogeneity; aboveground plant biomass in a grazing pasture, changes in 313
species diversity; of an artificial stream 83
spore dispersal; of *Dictyophora* fungi by flies 7
spruce, black; forest soil and the contribution of micro-organisms to the carbon cycle in 17
stand density; growth analysis of the self-thinning stands of *Pinus densiflora* 183
stem water; oxygen isotope ratio of 1
stomata; physiological tolerance of *Camellia rusticana* leaves to heavy snowfall environments: The effect of prolonged snow cover on evergreen leaves 117
stream; colonization of by fishes and aquatic macroinvertebrates 83
succession; and colonization of an artificial stream by fishes and aquatic macro-invertebrates 83
symbiosis; methane and hydrogen production in a termite system 241

T

temperate forest
  effect of potential photosynthetically active radiation on shoot extension in juveniles of the main tree species in 171
  litter decomposition processes: change of organic matter in oak (*Quercus liaotungensis* Koidz.) twigs 163
termite
  methane and hydrogen production in a symbiont system 241
  use of carbon and nitrogen isotope ratios for research in 377
transpiration
  mechanism and patterns in a large subalpine spruce (*Picea abies* (L.) Karst.) in 105

and oxygen isotope ratios between tree soil water and stem water 1
tree defense; response of herbivorous insects to in relation to narcissus flycatcher foraging habitat 73
Tribolium castaneaum; effect of immigration on a chaotic population of 259
Tripteroides bambusa; distribution and turnover of a metapopulation among bamboo groves 291
trout; habitat modification and contribution of woody debris in small streams in secondary deciduous forest in northern Japan 335

V

vegetation
ski slope, in Washington State and comparison with vegetation in temperate coniferous forest zones 97
zone; study of changes in life zone distribution in north-east China by climate–vegetation classification 355
vole; model of role of male dispersal in the evolution of female altruistic behavior in viscous populations based on 367
VORTEX; current state and future viability of the crested ibis (*Nipponia nippon*): A case study by population analysis, model of 323

W

water strider; *Aquarius paludum*, costs and benefits for females of carrying, guarding, reproductive males 263
water uptake; and oxygen isotope ratios between tree soil water and stem water 1
woody debris; contribution to modification of trout habitat in small streams in secondary deciduous forest in northern Japan 335